



# Homelifts in DOMO and STAIRfit





### Why a home lift?

Our home lifts are designed to solve the needs of vertical mobility and to remove architectural barriers in all environments, both private and public.

They represent the ideal solution to overcome the stairs and rediscover the pleasure of moving freely in every moment of the day.

They can be installed both inside and outside the building in special metal structures or between the walls of the house.

They ensure a high level of ride comfort, great reliability and total safety, for example guaranteed by the automatic emergency lowering system in the event of a power failure.

They can be installed in new buildings but fit perfectly every existing environments, increasing their value.



#### Safety

Thanks to the wide range of specific devices you can move every day around the house without worries.

#### Comfort


It can be operated by pressing the button, both in the cabin and on the landings. Choosing the version with automatic sliding or folding doors in the car, you will not have to hold the button pressed during the entire travel.

#### Style

Decorate the space in motion by choosing the finishes that best suit your environments and satisfy your taste as you would do for any furnishing accessory. Our renewed range of cabins, Smart - Idea - Style and Opera, best represents the expression of MADE IN ITALY.

#### **Reduced spaces**

**STAIRfit** is our compact model created to be installed in limited spaces and ideal for staircases with particularly reduced width. Each lift is made to measure in order to take advantage of every single centimetre available.




## Indoor and outdoor homelifts

inDOMO can be installed both inside and outside the building to ensure maximum accessibility at all levels. STAIRfit is thought to be positioned in an indoor stairwell.

If you do not have specific shaft you can connect the lift directly to the balcony or using existing windows modified to obtain the necessary entrances.





## Small elevators for private homes and public environments

Our products find their natural connotation mainly in private homes to help you live fully your environments.

Nevertheless, they are the ideal solution to overcome architectural barriers in public environments like schools, shops, restaurants, offices and can guarantee the right solution to all needs.



## Masonry shaft or metallic structure

The lift travels inside a shaft to guarantee the maximum safety, according to the law. The shaft can be obtained inside the house making it in masonry or concrete.

Alternatively we can provide a metal structure designed for indoor or outdoor (since it is weather-proof), certified according to the anti-seismic rules. The structure has multiple finishes and can be completely glazed to ensure good easthetic result, lightness and visibility.





## Swing doors or automatic doors

As standard, inDOMO and STAIRfit lifting platforms are offered with swing glazed doors that guarantee maximum visibility and passive safety.

They can also be equipped with automatic sliding doors or with internal folding doors and external automatic swing doors (myDOMO) which allow automatic control avoiding to keep the button pressed during the entire travel.





inDOMO homelift cabin

Full height COP in scotch brite ST/ST

Cabin

## **SMART**

## Beauty and simplicity

With its up-to-date, minimalist and yet affordable design, this is LiftingItalia best-selling cabin, now available with new eye-catching skinplate texture finishes.







Cabin

## IDEA

## Elegance and flexibility

Bright, fresh and available in a wide colour range, this cabin boasts a plain and youthful design that brings sparkle to its surroundings.

IDEA is the cabin designed specifically for panoramic lifts and offers the possibility of having up to three glass walls.





inDOMO and STAIRfit homelift cabin

Full height COP in anodized aluminum

Internal car profiles in anodized aluminum

External wall cladding in anodized aluminum



Cabin

## STYLE

### Timeless style

The material combinations are designed to exalt the enduring look of the stainless steel, which enhance both classic and modern environments.





inDOMO homelift cabin

Full height COP in polished Mirror ST/ST



Cabin

## **OPERA**

## Warmth and accessible luxury

We chose a selection of the most interesting contemporary design materials, to create a uniquely refined cabin design.






inDOMO homelift cabin

3/4 height COP in anodized aluminum

Internal car profiles in anodized aluminum

External wall cladding in anodized aluminum



### **Doors**

#### **LUMIERE DOOR**

Single panel swing door



Aluminum Handle Height 700 mm Cod. ML.05 (Standard)

Single panel swing door; manual opening and automatic closing.

Available versions:

- FBL (blind)
- GL (glazed)
- Landing door finishes: Silver anodized aluminium (standard) and Painted steel

Stainless Steel Handle

Height 200 mm


Cod. ML.02 (Optional)

Stainless Steel Handle Height 700 mm Cod. ML.06

(Optional)

#### **AUTOMATIC DOORS KIT MYDOMO-PACK**

Double panels swing automatic landing door



Double panels swing landing door coupled with a folding car door completely automatic in opening and closing operations. A safety device stops the movement in case of obstruction.

MyDOMO landing door and TWIST folding car door are also available:

- GL (glazed)
- BL (blind)
- Car door finishes: Scotch Brite Stainless Steel (standard) and Painted steel
- Landing door finishes: Silver anodized aluminium (standard) and Painted steel



### **2 PANELS AUTOMATIC**Centre opening door



Car and landing 2 panels automatic centre opening door with safety device to re-open in case of obstructions.

Versions: BL (blind - std) - GL (glazed)

#### Available also:

- Fire rated E120
- Fire proof EI120
- Standard finishes: F12PPS Stainless-Look Skinplate
- Optional finishes: Stainless Steel and Painted steel

#### **2 PANELS AUTOMATIC**

Side opening door



Car and landing 2 panels automatic side opening door with safety device to re-open in case of obstructions.

Versions: BL (blind - std) - GL (glazed)

#### Available also:

- Fire rated E120
- Fire proof EI120
- Standard finishes: SkinplateOptional finishes: Stainless Steel

and Painted steel

#### **3 PANELS AUTOMATIC**

Side opening door



Car and landing 3 panels automatic side opening door with safety device to re-open in case of obstructions.

Versions: BL (blind - std) - GL (glazed)

#### Extremely thin:

- 60 mm sill
- 180 mm horizontal transom
- Standard finishes: **Skinplate**
- Optional finishes: Stainless Steel and Painted steel

### COP

#### **COP STANDARD CONFIGURATION**

- Alarm button
- Luminous and acoustic overload signal
- Door open push button (only with automatic doors)
- Emergency STOP button (only without car doors)
- Emergency light
- Two-way intercom
- STAIRfit is equipped with a horizontal COP on the rear wall

#### **PUSH BUTTONS**

- ↑ The push button (Ø 29,6 mm) features Braille code
- Blue backlight
- Dimensions with bezel 42 x 38 mm







#### **OPTIONS**


- Enabling key
- Magnetic iButton key
- Position and direction displays
- Phone dialler
- In-built telephone box (where possible)
- ← TFT Display (7")





Embossed COP, anodized aluminum, 3/4 height or full height

Width 220 mm Depth 25 mm



Width 220 mm



## Display

#### **CAR DISPLAY - OPTIONAL**



TFT (7") Without frame Dimensions: 154 x 86 mm



**Tricolor LCD** (5,6") With metal frame Dimensions: 120 x 60 mm

#### **LANDING DISPLAY - OPTIONAL**



On the door frame



On the wall

## Ceilings

#### **PLEXY CEILING**

not backlighted (standard)



- Standard ceiling for SMART IDEA OPERA cars
- Standard finishes: Scotch Brite Stainless Steel and Anodized aluminium
- Optional finishes: Mirror Stainless Steel

#### **COUNTER-CEILING QUADRO**

backlighted



- Standard counter-ceiling for STYLE car
- Optional counter-ceiling for SMART IDEA OPERA cars
- Standard finishes: Scotch Brite or Mirror Stainless Steel

#### **COUNTER-CEILING WINDOW**

backlighted



- Standard counter-ceiling for **STYLE car**
- Optional counter-ceiling for SMART IDEA OPERA cars
- Standard finishes: Scotch Brite or Mirror Stainless Steel

#### **COUNTER-CEILING SPOTLIGHTS**

with LED spot lights



- Standard counter-ceiling for **STYLE car**
- Optional counter-ceiling for SMART IDEA OPERA cars
- Standard finishes: Scotch Brite or Mirror Stainless Steel

### Handrail

Modular aluminum handrails with the following finishes:

- natural anodized aluminum
   Cod. CR.03
- aluminum stainless steel effect Cod. CR.04



## Finishes - Skinplate

#### For AUTOMATIC DOORS and IDEA and SMART cars



**DT 63**Rough Fabric



**DT 64** Kaki Fabric



**DT 65** Grey Fabric



A80SMA White Ice



**B17SMA**Soft Violet



**F12PPS**Stainless-Look



**PPS10** Marble



**F21PVA**Dotted Silver


## Finishes - Laminate HPL

For IDEA and OPERA cars


#### **ROUGH FINISH**



**410** White Ice




**868** Medium Grey



**810** White Mini

### Finishes - Laminate HPL

#### **MATT FINISH**



**1821** Holy Violet




**1855** Pistachio Green




**856** Blue Steel


#### **GLOSSY FINISH**



**836** Plum Red



**1883** Aubergine



**421** Black

#### WOOD EFFECT WITH HORIZONTAL TEXTURE



**1619** Light Transversal Oak



**1381** Transversal Oak



**1382** Transversal Tobacco

#### **WOOD EFFECT WITH VERTICAL TEXTURE**



1385 White Ash



1389 Noce Iseo




**1387** Smoked Wood

### Finishes - Stainless Steel

#### For CAR WALLS and AUTOMATIC DOORS




**Satin Gr. 240** Stainless Steel




**D21 Square** Stainless Steel




**D25 Linen** Stainless Steel



**D42 Leather** Stainless Steel



**Scotch Brite** Stainless Steel



Mirror Stainless Steel



**Anodized aluminium** 

### Finishes - Glasses and mirrors



Natural

Acid Etched Natural Milky White Milky White Extraclear Smoke Grey

**Bronze Stopsol** 


Mirror

### Finishes - Floors


#### **GRANITE AGGLOMERATE**



**GRANIT RS607** White



**GRANIT TC2400** White Mix



**GRANIT TC2402** Grey



**GRANIT RS646** Black

#### **WOODEN PLANKS**



PARQUET LW1
Whitened oak



PARQUET LW2
Doussie



PARQUET LW3 Merbau



PARQUET LW4
Teak

#### **LINOLEUM**



**LINOLEUM 3146**Serene Grey



**LINOLEUM 3048**Dark Grey



**LINOLEUM 2939** Black

#### **ROUND STUDDED RUBBER**



**G804** Light Grey



N004 Black

#### **ALUMINIUM**



5 bar aluminium tread plate

## Finishes - RAL paints

#### **BEIGE COLOURS**



RAL 9001 Cream



**RAL 1013** Oyster white




RAL 1015 Light ivory




RAL 1001 Beige


#### **GRAY COLOURS**




RAL 7035 Light grey



RAL 7032 Pebble grey



**RAL 7001** Silver grey




RAL 7004 Signal grey

#### **NEUTRAL COLOURS**



RAL 9010 Pure white




RAL 9016 Traffic white




**RAL 7016**Anthracite grey

**RED COLORS** 



RAL 9005 Jet black


#### **ALUMINUM**




RAL 9006 White aluminium



RAL 9007 Grey aluminium



RAL 3020 Traffic red



RAL 3003 Ruby red

## Finishes - RAL paints


#### **BROWN COLOURS**



RAL 8003 Clay brown



RAL 8002 Signal brown




RAL 8011 Nut brown




RAL 8017 Chocolate brown


#### **GREEN COLOURS**



RAL 6021 Pale green



RAL 6001 Emerald green



RAL 6005 Moss green




RAL 7009 Green grey

#### **BLUE COLOURS**



RAL 5024 Pastel blue



RAL 5015 Sky blue



RAL 5010 Gentian blue


#### **SPECIAL PAINTS**



**GREY MICA** Grey mica



BRONZE 2525 - YW283 F Bronze



**GOLD 2525 - YW106 I** Gold

## Overall installation configurations






PRODUCT SPECIFICATIONS	inDOMO	STAIRfit
MAX PAYLOAD	500 kg	250 kg
MAX TRAVEL	20 m	20 m
MAX ENTRANCES	3	1
MAX STOPS (in line)	8	8
SHAFT		
CONCRETE OR MASONRY		_
STEEL STRUCTURE, PAINTED RAL		
STAINLESS STEEL STRUCTURE (AISI 304 or AISI 316 FOR MARINE ENVIRONMENT)		_
CARS		
SMART		_
STYLE		_
IDEA		
OPERA		_
1 GLASS WALL		_
2 GLASS WALLS		
CAR DOORS		
WITHOUT DOOR (with LIGHT CURTAIN)		
AUTOMATIC SLIDING, 2-PANELS SIDE OPENING (BL-GL)		_
AUTOMATIC SLIDING, 2-PANELS CENTRE OPENING (BL-GL)		_
AUTOMATIC SLIDING, 3-PANELS SIDE OPENING (BL-GL)		_
AUTOMATIC TWIST FOLDING 2-PANELS (BL-GL)	—	
AUTOMATIC TWIST FOLDING 4-PANELS (BL-GL)		
LANDING DOORS		
LUMIERE GL - ALUMINIUM (GLAZED version)		
LUMIERE FBL - ALUMINIUM (BLIND version)		_
IRON - STEEL (BL¹)		
myDOMO pack (coupled with TWIST) (GL-BL)		_
AUTOMATIC SLIDING, 2-PANELS SIDE OPENING (BL-BL¹-GL)		_
AUTOMATIC SLIDING, 2-PANELS CENTRE OPENING (BL-BL¹-GL)		_
AUTOMATIC SLIDING, 3-PANELS SIDE OPENING (BL-BL¹-GL)		_
HYDRAULIC TRACTION		
Indirect acting 2:1	-	
Side direct acting 1:1		_

(1) available also E120 and FIRE RATED EI120 executions

֝֝֟֝֝֝֝֟֝֝֝֟֝֝֝֟֜֜֝֝֟֜֜֟֝	Standard Option, no extra price		☐ Optional	— Not available
5	BL-FBL: BLIND version	GL: GLAZED versi	on	

















SINGLE PHASE

GGESTED MAX USE PAYLOAD

#### STRENGTH AND RELIABILITY

inDOMO means realiability and safety. Thanks to the hydraulic traction, to the solid structure and to the safety devices (blackout emergency descent, automatic rescue call and much more) you will never have to fear of being stuck in the cabin.

#### TOP COMFORT AT THE BEST PRICE


inDOMO is the mini-lift for those who don't accept compromises. Top comfort and quietness, smooth starts and stops, great lighting and best technologies create the best travel experience in the category.

#### LIVING SPACE


The new range shows a completely renewed line of cabins, with a clean and essential design which will give your house an unmistakable touch of elegance.


PAYLOADS	From 250 up to 500 kg
TRAVEL	Up to 20 m
STOPS	Up to 8 (in line)
ENTRANCES	Up to 3
SPEED	0,15 m/s (EU) - 0,30 m/s (extra-EU)
SHAFT	Masonry shaft or Anti-seismic structure
CONTROL	Hold to run or Automatic
NOISE LEVEL	Max. 47 dB
CABIN DIMENSION	Max. 1400 (L) x 2000 (P) *
CABIN HEIGHT (CH)	Std. 2100 mm (Min. 2000 - Max. 2200)
DOOR HEIGHT	Std. 2000 mm (Min. 1800 - Max. 2100)
HEADROOM	Std. 2400 mm
PIT	Min. 100 mm - Max. 500 mm
CYCLES/HOUR SUGGESTED	15
POWER SUPPLY	Single phase 230 Vac (3-phase 400 Vac as option)
CONTROL PANEL AND HYDRAULIC SYSTEM	In metal cabinet (optional)
REFERENCE REGULATION	D.M. 2006/42/CE - EN81.41

CUSTOM DIMENSIONS
WITH 5 MM STEPS



### AVAILABLE WITH ST STEEL AISI316 ANTI-SEISMIC STRUCTURE FOR MARINE ENVIRONMENT















MAX



SINGLE PHASE PAYLOAD

#### **COMFORT IN REDUCED SPACES**

We created STAIRfit for very narrow staircases but keeping a great cabin habitability and comfort thanks to the new "extra breathing system" which includes: full height mirror (C side), panoramic side walls, fan and scotch-brite stainless steel finishing.


#### **CUSTOM DIMENSION TO THE MILLIMETRES**

We produce every installation singularly, so that we can take advantage of every inch of available space. STAIRlift was designed to offer the best possible comfort in case of a refurbishment or building upgrades where abailable spaces are particularly small.

#### SAFETY AND RELIABILITY

Even in reduced spaces STAIRlift offers the same level of performance and safety features of a standard mini-lift, so that you can always be relaxed.

PAYLOADS	250 kg
TRAVEL	Up to 20 m
STOPS	Up to 8 (in line)
ENTRANCES	1
SPEED	0,15 m/s (EU) - 0,30 m/s (extra-EU)
SHAFT	Anti-seismic structure
CONTROL	Hold to run or Automatic
NOISE LEVEL	Max. 47 dB
CABIN DIMENSION	Width from 500 ÷ 800 * Depth from 650 ÷ 1200 *
CABIN HEIGHT (CH)	Std. 2100 mm (min. 2000 – Max. 2200)
DOOR HEIGHT	Std. 2000 mm (min. 1800 – Max. 2100)
HEADROOM	Std. 2400 mm
PIT	Min. 200 mm - Max. 500 mm
CYCLES/HOUR SUGGESTED	15
POWER SUPPLY	Single phase 230 Vac (3-phase 400 Vac as option)
CONTROL PANEL AND HYDRAULIC SYSTEM	In metal cabinet (optional)
REFERENCE REGULATION	D.M. 2006/42/CE - EN81.41



#### **CUSTOM DIMENSIONS** WITH 5 MM STEPS

### min. 1120 - max 1850 min. 700 - max 1000 - min. 500 L max 800 min. 650 - max 1200 min. 500 max 800

INSTALLATION DIMENSIONS

